

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Betonlöser LO-BETONIX NEU 1I/Sprühflasche

Revision date: 19.10.2020

Product code: ZLO-BETONIX1N

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Betonlöser LO-BETONIX NEU 1I/Sprühflasche

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

special cleaning agent

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name:	Lorencic GmbH Nfg. & Co KG		
Street:	Puchstraße 208		
Place:	A-8055 Graz		
Telephone:	+43 (0) 316 / 47 25 64 32	Telefax:	+43 (0) 316 / 47 25 64 78
Responsible Department:	Dr. Gans-Eichler	e-mail:	info@tge-consult.de
	Chemieberatung GmbH	Tel.:	+49(0)2534 6441185
	Otto-Hahn-Str. 36		www.tge-consult.de
	D-48161 Münster		

1.4. Emergency telephone number:

Poison Control Centre Vienna: +43 (0) 1 406 43 43

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Causes severe skin burns and eye damage.

Causes serious eye damage.

May cause respiratory irritation.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

Hydrochloric acid ... %

1-heptanol, 2-propyl, 7 EO; Fatty Alcohol ethoxylates

Signal word: Danger**Pictograms:****Hazard statements**

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Betonlöser LO-BETONIX NEU 1I/Sprühflasche

Revision date: 19.10.2020

Product code: ZLO-BETONIX1N

Page 2 of 11

P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity
	EC No	Index No
	GHS Classification	REACH No
7647-01-0	Hydrochloric acid ... %	10 - < 25 %
	231-595-7	017-002-01-X
	Met. Corr. 1, Skin Corr. 1B, STOT SE 3; H290 H314 H335	01-2119484862-27
160875-66-1	1-heptanol, 2-propyl, 7 EO; Fatty Alcohol ethoxylates	< 2,5 %
	Acute Tox. 4, Eye Dam. 1; H302 H318	
25749-64-8	2-propyn-1-ol, ethoxylated	=< 0,25 %
	607-802-5	01-2120065599-40
	Acute Tox. 2, Acute Tox. 4, Eye Dam. 1, STOT SE 3, STOT RE 2; H330 H302 H318 H335 H373	

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
		Specific concentration limits and M-factors	
7647-01-0	231-595-7	Hydrochloric acid ... %	10 - < 25 %
		Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100	

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician. In the case of lung irritation: Primary treatment using corticoid spray, eg. Auxiloson spray, Pulmicort-dosage-spray. (Auxiloson and Pulmicort are registered trademarks).

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Betonlöser LO-BETONIX NEU 1I/Sprühflasche

Revision date: 19.10.2020

Product code: ZLO-BETONIX1N

Page 3 of 11

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Observe risk of aspiration if vomiting occurs. Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Sand. Foam. Carbon dioxide (CO₂). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

Unsuitable extinguishing media

High power water jet

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Hydrogen chloride (HCl).
Inhaling fire gases can cause serious damage to health.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment (refer to section 8).
Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.
Clean contaminated objects and areas thoroughly observing environmental regulations.
Use neutralization agent.

6.4. Reference to other sections

Safe handling: see section 7
Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Betonlöser LO-BETONIX NEU 1I/Sprühflasche

Revision date: 19.10.2020

Product code: ZLO-BETONIX1N

Page 4 of 11

Advice on safe handling

Wear suitable protective clothing. (See section 8.)
Conditions to avoid: aerosol or mist formation
Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

Advices on general occupational hygiene: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.
Make sure spills can be contained (e.g. sump pallets or kerbed areas).
Suitable floor material: Acid proof.

Hints on joint storage

Do not store together with: Alkalis (alkalis). Explosives. Oxidizing solids. Oxidizing liquids. Organic peroxides.
Self-reactive substances and mixtures. Radioactive substances. Infectious substances.

Further information on storage conditions

Recommended storage temperature: 20°C
Protect against: frost. UV-radiation/sunlight. heat. Humidity

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
7647-01-0	Hydrochloric acid ... %			
Worker DNEL, acute		inhalation	local	8 mg/m ³
Worker DNEL, long-term		inhalation	local	15 mg/m ³

8.2. Exposure controls



Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.
Provide adequate ventilation.

Betonlöser LO-BETONIX NEU 1I/Sprühflasche

Revision date: 19.10.2020

Product code: ZLO-BETONIX1N

Page 5 of 11

Protective and hygiene measures

When using do not eat, drink or smoke.

Eye/face protection

Wear eye/face protection. BS/EN 166

Hand protection

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time $\geq$ 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time $\geq$ 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time $\geq$ 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time $\geq$ 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time $\geq$ 8 h

The selected protective gloves have to satisfy the specifications of EU Directive EC/2016/425 and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

-Exceeding exposure limit values

-Insufficient ventilation. and aerosol or mist formation

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). Type: P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

No information available.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	colourless
Odour:	stinging
Odour threshold:	tested
pH-Value (at 20 °C):	< 1

Changes in the physical state

Melting point:	< 0 °C
Initial boiling point and boiling range:	100 °C
Sublimation point:	No information available.
Softening point:	No information available.
Pour point:	No information available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Betonlöser LO-BETONIX NEU 1I/Sprühflasche

Revision date: 19.10.2020

Product code: ZLO-BETONIX1N

Page 6 of 11

Flash point: No information available.

Sustaining combustion: Not sustaining combustion

Flammability

Solid: No information available.

Gas: No information available.

Explosive properties

none

Lower explosion limits: No information available.

Upper explosion limits: No information available.

Ignition temperature: No information available.

Auto-ignition temperature

Solid: No information available.

Gas: No information available.

Decomposition temperature: No information available.

Oxidizing properties

none

Vapour pressure: No information available.

(at 20 °C)

Vapour pressure: No information available.

(at 50 °C)

Density (at 20 °C): No information available.

Bulk density: No information available.

Water solubility: completely miscible

Solubility in other solvents

No information available.

Partition coefficient: No information available.

Viscosity / dynamic: No information available.

Viscosity / kinematic: No information available.

Flow time: No information available.

Vapour density: No information available.

Evaporation rate: No information available.

Solvent separation test: No information available.

Solvent content: No information available.

9.2. Other information

Solid content: No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Corrosive to metals

Reactions with light metals with the formation of hydrogen.

Violent reaction with: Alkalies (alkalis).

Betonlöser LO-BETONIX NEU 1I/Sprühflasche

Revision date: 19.10.2020

Product code: ZLO-BETONIX1N

Page 7 of 11

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Light metals. marble.

10.6. Hazardous decomposition products

Can be released in case of fire: Hydrogen chloride (HCl).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
160875-66-1	1-heptanol, 2-propyl, 7 EO; Fatty Alcohol ethoxylates				
	oral	ATE 500 mg/kg			
25749-64-8	2-propyn-1-ol, ethoxylated				
	oral	ATE 500 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation aerosol	ATE 0,05 mg/l			

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (Hydrochloric acid ... %)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product has not been tested.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7647-01-0	Hydrochloric acid ... %					
	Acute fish toxicity	LC50 3,25 mg/l	96 h	Lepomis macrochirus	ECHA Dossier	
	Acute algae toxicity	ErC50 4,7 mg/l	72 h	Chlorella vulgaris	ECHA Dossier	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Betonlöser LO-BETONIX NEU 1I/Sprühflasche

Revision date: 19.10.2020

Product code: ZLO-BETONIX1N

Page 8 of 11

	Acute crustacea toxicity	EC50 mg/l	4,92	48 h	Daphnia magna	ECHA Dossier	
	Acute bacteria toxicity	((>=5) mg/l)		3 h	activated sludge	ECHA Dossier	

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

Harmful effect on fish, plankton and sedentary organisms due to pH shift possible.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

060102 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of acids; hydrochloric acid; hazardous waste

List of Wastes Code - used product

060102 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of acids; hydrochloric acid; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

UN 1789

14.2. UN proper shipping name:

HYDROCHLORIC ACID

14.3. Transport hazard class(es):

8

14.4. Packing group:

II

Hazard label:

8



Classification code:

C1

Special Provisions:

520

Limited quantity:

1 L

Betonlöser LO-BETONIX NEU 1I/Sprühflasche

Revision date: 19.10.2020

Product code: ZLO-BETONIX1N

Page 9 of 11

Excepted quantity: E2
 Transport category: 2
 Hazard No: 80
 Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number: UN 1789
14.2. UN proper shipping name: HYDROCHLORIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8



Classification code: C1
 Special Provisions: 520
 Limited quantity: 1 L
 Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number: UN 1789
14.2. UN proper shipping name: HYDROCHLORIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8



Marine pollutant: NO
 Special Provisions: -
 Limited quantity: 1 L
 Excepted quantity: E2
 EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1789
14.2. UN proper shipping name: HYDROCHLORIC ACID
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8



Special Provisions: A3 A803
 Limited quantity Passenger: 0.5 L
 Passenger LQ: Y840
 Excepted quantity: E2
 IATA-packing instructions - Passenger: 851
 IATA-max. quantity - Passenger: 1 L
 IATA-packing instructions - Cargo: 855
 IATA-max. quantity - Cargo: 30 L

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Betonlöser LO-BETONIX NEU 1I/Sprühflasche

Revision date: 19.10.2020

Product code: ZLO-BETONIX1N

Page 10 of 11

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Safe handling: see section 7

Personal protection equipment: see section 8

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): No information available.

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Rev. : 1,0 Initial release: 19.10.2020

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

ECHA: European Chemicals Agency

EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Betonlöser LO-BETONIX NEU 1I/Sprühflasche

Revision date: 19.10.2020

Product code: ZLO-BETONIX1N

Page 11 of 11

LOAEL: Lowest observed adverse effect level
LOAEC: Lowest observed adverse effect concentration
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
NOAEL: No observed adverse effect level
NOAEC: No observed adverse effect concentration
NLP: No-Longer Polymers
N/A: not applicable
OECD: Organisation for Economic Co-operation and Development
PNEC: predicted no effect concentration
PBT: Persistent bioaccumulative toxic
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
REACH: Registration, Evaluation, Authorisation of Chemicals
SVHC: substance of very high concern
TRGS: Technische Regeln für Gefahrstoffe
UN: United Nations
VOC: Volatile Organic Compounds

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data
STOT SE 3; H335	Calculation method

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H335 May cause respiratory irritation.
H373 May cause damage to organs through prolonged or repeated exposure.

Further Information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:
Health hazards: Calculation method.
Environmental hazards: Calculation method.
Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)